


Application No.: 10/783,304
 Docket No.: UC0412USNA

Listing of Claims

RECEIVED
 CENTRAL FAX CENTER
 APR 03 2007

1. (Currently Amended) A compound having the formula:




(I)

wherein

n is an integer;

R^1 is selected from aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, and a crosslinkable group attached to aryl, heteroaryl, fluoroaryl, or fluoroheteroaryl substituted with 1 or more fluorine atoms;

R^2 is selected from H, aryl, alkyl, fluoroalkyl, Cl, Br, I, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms; a crosslinkable group attached to aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms or fluoroheteroaryl substituted with 1 or more fluorine atoms, a crosslinkable group, and an arylamino group of formula (II),



(II)

wherein

R^4 is selected from aryl, H, R^1 , alkyl, and fluoroalkyl;

Application No.: 10/783,304

Docket No.: UC0412USNA

R^7 is selected from aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, and a crosslinkable group attached to aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms or fluoroheteroaryl substituted with 1 or more fluorine atoms;

R^3 is selected from H and R^1 ;

E is selected from O, S, $(SiR^5R^6)_m$ wherein m is an integer of 1 to 20, $(CR^5R^6)_n$ wherein n is an integer of 1 to 20, and combinations thereof,

wherein R^5 and R^6 are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy, a crosslinkable group, and a crosslinkable group attached to alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, or fluoroaryloxy, and wherein when E is $(CR^5R^6)_n$, and n is greater than 1 and m is 1, at least one of R^5 and R^6 is not hydrogen or a hydrocarbon and;

wherein the compound bears at least one crosslinkable group.

2. (Currently Amended) The compound of claim 1, wherein at least one aromatic ring in the compound of formula (I) has one or more substituents independently selected from $[H]$, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy, and crosslinkable groups.

3. (Original) The compound of claim 1, wherein R^5 and R^6 , when taken together, form a non-aromatic ring.

4. (Original) The compound of claim 1, wherein two or more substituents on two neighboring aromatic rings in the compound of formula (I) together form an aromatic or non-aromatic ring.


5. (Original) The compound of claim 1, wherein adjacent substituents on a single ring are linked to form a fused aromatic or non-aromatic ring.

6. (Original) The compound of claim 1, wherein R^1 is selected from phenyl, 1-naphthyl, and 2-naphthyl, cinnamate and chalcone groups.

7. (Original) The compound of claim 1, wherein n = 1, R^2 is H, and R^3 is selected from phenyl, 1-naphthyl, 2-naphthyl and styryl.

Application No.: 10/783,304
 Docket No.: UC0412USNA

8. (Previously Presented) A compound of formula




(III)

wherein

n is an integer,

R^1 is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, and a crosslinkable group attached to aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms,

R^2 is selected from H, aryl, alkyl, fluoroalkyl, Cl, Br, I, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, a crosslinkable group attached to aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms or fluoroheteroaryl substituted with 1 or more fluorine atoms, a crosslinkable group, and arylamino of formula (II)



wherein

R^4 is selected from aryl, H, R^1 , alkyl, and fluoroalkyl;

R^7 is selected from aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, and a

Application No.: 10/783,304
Docket No.: UC0412USNA

crosslinkable group attached to aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms;

E is selected from O, S, $(\text{SiR}^5\text{R}^6)_m$ wherein m is an integer of 1 to 20, $(\text{CR}^5\text{R}^6)_m$ wherein m is an integer of 1 to 20, and combinations thereof,

wherein R^5 and R^6 are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy, a crosslinkable group, and a crosslinkable group attached to alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, or fluoroaryloxy, provided that when E is $(\text{CR}^5\text{R}^6)_m$, and n is greater than 1 and m is 1, at least one of R^5 and R^6 is not hydrogen or a hydrocarbon; and

wherein the compound bears at least one crosslinkable group.


9. (Original) The compound of claim 8, wherein R^5 and R^6 , when taken together, form a non-aromatic ring,
10. (Currently Amended) The compound of claim 8, wherein at least one aromatic ring in the compound of formula (III) has a substituent selected from $[\text{H}]$, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy, and a crosslinkable group.
11. (Original) The compound of claim 8, wherein two or more substituents on two neighboring aromatic rings in the compound of formula (III) together form an aromatic or non-aromatic ring.
12. (Original) The compound of claim 8, wherein adjacent substituents on a single ring are linked to form a fused aromatic or non-aromatic ring.
13. (Original) The compound of claim 8 wherein R^1 is selected from phenyl, 1-naphthyl, and 2-naphthyl.
14. (Original) The compound of claim 8, wherein $n = 1$, and R^2 is arylamino of formula (II), wherein R^4 is selected from aryl, H, R^1 , alkyl, and fluoroalkyl.

Application No.: 10/783,304
 Docket No.: UC0412USNA

15. (Original) The compound of claim 8 wherein $n=1$, R^1 is selected from phenyl, 1-naphthyl or 2-naphthyl and R^2 is styryl or cinnamate, or arylamino of formula (II), wherein R^4 is selected from aryl, H, styryl and cinnamate.

16. (Original) The compound of claim 8 wherein R^1 is selected from phenyl, 1-naphthyl and 2-naphthyl and R^2 is selected from H and aryl and E is selected from $(CR^5R^6)_m$, wherein R^5 is selected from alkyl, aryl, and alkoxy and R^6 is a crosslinkable group.

17. (Previously Presented) A compound of formula




wherein:

n is an integer;

R^1 is selected from aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, and a crosslinkable group attached to aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms;

R^2 is selected from H, aryl, alkyl, fluoroalkyl, Cl, Br, I, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms, a crosslinkable group attached to aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, a crosslinkable group, and an arylamino group of formula (II),

Application No.: 10/783,304
 Docket No.: UC0412USNA



wherein

R^4 is selected from aryl, H, R^1 , alkyl, and fluoroalkyl;

R^7 is selected from aryl, heteroaryl, fluoroaryl substituted with 1 or more fluorine atoms, fluoroheteroaryl substituted with 1 or more fluorine atoms, and a crosslinkable group attached to aryl, heteroaryl, fluoroaryl, and fluoroheteroaryl substituted with 1 or more fluorine atoms;

R^3 is selected from H and R^1 ;

E is selected from O, S, $(SiR^5R^6)_m$ wherein m is an integer of 1 to 20, $(CR^5R^6)_m$ wherein m is an integer of 1 to 20, and combinations thereof,

wherein R^5 and R^6 are each independently selected from H, F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy, a crosslinkable group, and a crosslinkable group attached to alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, or fluoroaryloxy, provided that when E is $(CR^5R^6)_m$, and n is greater than 1 and m is 1, at least one of R^5 and R^6 is not hydrogen or a hydrocarbon; and

wherein the compound bears at least one crosslinkable group.

18. (Currently Amended) The compound of claim 17 wherein at least one aromatic ring in the compound of formula (I) has a substituent selected from [H,] F, alkyl, aryl, alkoxy, aryloxy, fluoroalkyl, fluoroaryl, fluoroalkoxy, fluoroaryloxy and a crosslinkable group.

19. (Original) The compound of claim 17 wherein R^1 is selected from phenyl, 1-naphthyl, and 2-naphthyl.

20. (Previously Presented) The compound of claim 17 wherein n = 1, R^2 is H, and R^3 is selected from phenyl, 1-naphthyl, 2-naphthyl and styryl.

21. (Original) The compound of claim 17 wherein R^5 and R^6 , taken together, form a non-aromatic ring.

Application No.: 10/783,304
Docket No.: UC0412USNA

22. (Amended) A ~~compound~~ composition comprising a copolymer[[s]] prepared by copolymerizing at least one compound of claim 1 and at least one compound of claim 8, said compound of claim 1 or claim 8 comprising at least one crosslinkable group.

23. (Original) A composition comprising a compound of claim 1.

24. (Original) A composition comprising a compound of claim 8.

25. (Original) A composition comprising a compound of claim 17.

26.-37. (Canceled)

38. (New) A copolymer comprising at least one compound of claim 1 and at least one compound of claim 8, said compound of claim 1 or claim 8 comprising at least one crosslinkable group.